# UNITED STATES DEPARTMENT OF AGRICULTURE FOREST SERVICE Region 5

R-5 FSH 2609.23

FISHERIES HABITAT EVALUATION HANDBOOK

# FOREST SERVICE HANDBOOK San Francisco, California

## R-5 FSH 2609.23 - FISHERIES HABITAT EVALUATION HANDBOOK

## Amendment No. 1

# Effective July 14, 1992

<u>POSTING NOTICE</u>. Amendments to this title are numbered consecutively. Check the last transmittal received for this title to see that the above amendment number is in sequence. If not, order intervening amendments at once on form 1100-6. Do not post this amendment until the missing one(s) is received and posted. After posting, retain this transmittal until the next amendment is received. Place it at the front of the handbook behind the title page.

	Superseded	l New
Page Code	(Number of	Sheets)
Title Page	1	_
000 thru 10711	23	•
Title Page	-	1
0001 thru 241.6	-	23

# <u>Digest</u>:

Removes obsolete, eroneously titled Fisheries Survey Handbook and replaces it with this new Fisheries Habitat Evaluation Handbook.

RONALD E. STEWART Regional Forester

# ZERO CODE

# CHAPTER

100 PERSONNEL, CONTROL AND PLANNING

200 STREAM HABITAT ASSESSMENT

300 LAKE SURVEYS (RESERVED)

# ZERO CODE

# Contents

010	AUTHORITY
020	OBJECTIVES
040	RESPONSIBILITY
060	COOPERATION
770	DEFEDENCES

## ZERO CODE

This handbook is designed to aid fisheries biologists in providing ecological records adequate to build logical, biologically well-founded Forest land management plans that appropriately address aquatic riparian habitats in accordance with FSM 2624.4 and FSM 2526.

- $\underline{010}$   $\underline{AUTHORITY}$ . See FSM 2601.1 for the major laws and Executive Orders that provide authority to manage fisheries resouces.
- <u>020</u> <u>OBJECTIVES</u>. Provide uniform instructions for the planning, implementation, evaluation, and application of inventories for stream and lake habitat.
- 1. Establish a standard method. (This can be built upon based on the specific needs of the individual forest.)
- 2. Identify and quantify fisheries and aquatic riparian habitats on the National Forests.
  - 3. Conduct inventories to meet forest management need.
- 4. Collect inventory and monitoring data, (1) in areas where active land management is anticipated or occurring, (2) upon which to predict or evaluate environmental impacts and, (3) base management decisions.
- <u>040</u> <u>RESPONSIBILITY</u>. Aquatic habitat management on National Forest lands is primarily the responsibility of the Forest Service. Fish management is primarily the responsibility of State Fish and Game Departments. Other Federal agencies such as USDI-Fish and Wildlife Service, USDI-Bureau of Land Management, and USDI-National Marine Fisheries Service, have similar interests in, and needs for aquatic habitat information.
- 1. <u>Regional Forester</u>. The Regional Forester is responsible for the development and implementation of aquatic habitat survey methods for assessing the condition and trend of aquatic-riparian and fisheries habitat within National Forest lands.

Regional Office staff shall assist Forest Supervisors in survey planning and training, as well as in the review and interpretation of survey results. The Director of Fish and Wildlife Management shall conduct an annual review of this Handbook to ensure its current level of applicability and/or make final recommendations for any proposed modification or amendment.

2. <u>Forest Supervisor</u>. Forest Supervisors are responsible for survey planning and field implementation.

Forest Staff Officers and fisheries biologists/hydrologists shall become familiar with inventory objectives and procedures so they can review, apply, explain, and make suggestions for improvement. Completion of the data forms is the responsibility of each crew leader. Analysis and interpretation of the data is the responsibility of the biologist or whomever uses it (Chap. 200).

- <u>060</u> <u>COOPERATION</u>. The cooperative agencies listed in section 040 contribute input during the development of the survey procedures. Basic requirements to maintaining cooperative relations with other agencies are:
- 1. To jointly plan aquatic habitat surveys with State Fish and Game representatives, BLM, Fish and Wildlife representatives, and other interested agencies or groups (Chap. 200).
- 2. To ensure that efforts to amend or modify the aquatic habitat survey should involve other agencies in the review of proposed changes.

Coordination within the Forest Service requires developing survey plans at the forest level, according to identified site-specific needs. Coordination with other Forest Service specialists (soil scientists, hydrologists, and others), is required before and during the actual data collection phase of aquatic habitat evaluation. This is necessary to correctly prioritize survey locations and identify the intensity of surveys required at each location for a given time frame. In many instances, data needed by the Wildlife and Fish Program and the Range and Watershed Management Program is similar and can be collected jointly, for example W.I.N. inventories and Channel Stability Inventories.

Five-year implementation schedules based on forest plan needs can be used successfully to prioritize broad assessment needs and locations. Forest Supervisors shall develop and use a yearly study plan to coordinate information needs with other resource managers for specific activities and sites.

<u>070</u> - <u>REFERENCES</u>. Listed below are the publications referenced within this handbook. This information is necessary to perform the tasks required by the handbook.

Azuma, D., S. Mori. 1990. General Aquatic Resources Monitoring. FHR Currents number 2, USDA Forest Service, Pacific Southwest Region, San Francisco, California. 2pp.

Gregory, K. G. 1966. Dry Valleys and the Composition at the Drainage Nets. Journal of Hydrology 4: 327-340

McCain, M., D. Fuller, L. Decker, and k. Overton. 1990. Stream habitat classification and inventory procedures for Northern California. FHR Currents number 1, USDA Forest Service, Pacific Southwest Region, San Francisco, California. 15pp.

Platts, William S., C. Armour, G. D. Booth, M. Bryant, J. L. Bufford, P. Cuplin, S. Jensen, G. W. Lienkaemper, G. W. Minshall, S. B. Monsen, R. L. Nelson, J. R. Sedell, J. S. Tuhy. Methods for evaluating riparian habitats with applications to management. General Technical Report INT-221. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station; 1987. pgs 58-60.

Rosgen, D. 1985. A Stream Classification System. In symposium on riparian ecosystems and their management: reconciling conflicting uses., April 16-18, Tucson, Arizona. pgs 91-95 with appendix.

# CHAPTER 100 - PERSONNEL, CONTROL, AND PLANNING

# <u>Contents</u>

110	PERSONNEL
L20	REVIEW AND APPROVAL
L30	EVALUATION
L <b>4</b> 0	PLANNING
L <b>4</b> 1	Planning Process
L <b>41.1</b>	Frequency
41.2	Coverage
141.3	Coordination and Cooperation
41.4	Format
41.5	Budget

## CHAPTER 100 - PERSONNEL, CONTROL, AND PLANNING

- <u>110</u> <u>PERSONNEL</u>. Conduct inventories for Steps I to IV (Chapter 200) using the following techniques and personnel:
- 1. <u>Step I Watershed Overview</u>. A fisheries biologist/hydrologist shall train and supervise employees performing watershed overviews.
  - 2. Step II Habitat Inventories.
    - a. Habitat inventories require both field and office work.
    - b. Field crews require a minimum of two people for safety and efficiency. One must be familiar with the technical aspects of the procedure and have a strong interest in fisheries science, preferably a fisheries or biological technician or fisheries biologist/hydrologist.
    - A fisheries biologist/hydrologist experienced in conducting stream inventories shall supervise the crew performing the field and office work.
- 3. Step III Project Design and Evaluation. This requires a site specific inventory and monitoring plan designed by a fisheries biologist/hydrologist. The biologist designing the inventory shall be familiar with current techniques of project design. The crew(s) doing the field and office work shall meet the same training and/or experience as in item 2 and shall be supervised by a fisheries biologist/hydrologist.
- 4. Step IV Fish Habitat Relationship. A fish biologist/fish scientist shall perform step IV inventory design and direction on a specifically selected site. The fish biologist/fish scientist shall direct studies and research.
- 120 REVIEW AND APPROVAL. The fisheries biologist supervising the employees performing Step I shall review and approve the data forms.

The crew leader shall prepare a written summary including:

- 1. Any voids in data collection.
- 2. Problems encountered in use of Handbook instructions.
- 3. Discrepancies between the stream(s) encountered in the field and those marked on maps.
  - 4. A summary of time and personnel spent conducting the inventory.

The supervising fisheries biologist is responsible for the review and approval of the written summary.

130 - EVALUATION. The fisheries biologist in charge shall continually review the analysis and recommendations while the inventories are underway.

During forest and Regional reviews check for compliance with processes and procedures specified in this handbook.

140 - PLANNING. Planning for and maintenance of a good inventory is key to successful, efficient use of these surveys. Ensure accomplishment of steps I and II. Overall, biologically steps II, III, and IV are interrelated and cyclic; whereas program-wise the steps tend to be progressive (I-II-III-IV). See exhibit 1.

EXHIBIT 1

# 

### # To Table 6:

141 - Planning Process.

- <u>141.1</u> <u>Frequency</u>. Update forest fisheries habitat inventory and monitoring plans annually prior to initiation of field season.
- 141.2 Coverage. Incorporate a fish habitat evaluation plan into each Forest Land Management Plan. The evaluation plan shall include inventories, improvements, monitoring as well as the projected personnel needs, and approximate costs needed to accomplish the plan.
- 141.3 Coordination and Cooperation. Coordinate the plan with other resource needs, (for example, timber, recreation, visual, wildlife, soils, and water). The biologist/hydrologist developing the plan shall cooperate with government agencies, private groups, and concerned individuals.

- <u>141.4</u> <u>Format</u>. The annual update of the evaluation plan shall be site specific for each drainage. Provide the following specific information:
  - 1. Location of stream, lake, or drainage.
- 2. National locator code (watershed code-see R-5 FSH 2509.24) for streams and lakes.
  - 3. Inventory schedule.
- 4. Estimated length of stream(s) and/or acres of lake(s) in the drainage system and proportion to survey.
- 5. Step identification. If steps vary throughout the drainage system, explain which step and location to perform, or diagram the area on a map.
- <u>141.5</u> <u>Budget</u>. An important part of planning is to develop an appropriate budget to meet objectives. Various budget components to consider are:
  - 1. Objectives, (for example, X-miles of stream to inventory).
- 2. Personnel, (number of employees necessary to complete objective).
  - 3. Training requirements.
  - 4. Equipment, materials and vehicles.
  - 5. Support (General Expenses and General Administration).

# CHAPTER 200 - FISH HABITAT ASSESSMENT

# <u>Contents</u>

210	WATERSHED OVERVIEW
211	Step I Process
211.1	Objectives
211.2	Standards
211.3	Equipment Needed
	Procedure
	Outputs
222	UND THAN TARRESTOON OVER THE AND OVERSHEET
220	HABITAT INVENTORYQUALITY AND QUANTITY
221	Step II Process
221.1	Objectives Standards
221.2	
	Equipment Needed
	Procedure
	Preplanning
	Field Sampling
221.7	Outputs
230	PROJECT DESIGN AND EVALUATION (SITE SPECIFIC)
231	Step III Process
231.1	Objectives
231.2	Standards
231.3	Equipment
231.4	Procedure
231.5	Management Uses
231.6	Outputs
240	FISH HABITAT RELATIONSHIP PROGRAM
241	Step IV Process
241.1	<del>-</del>
	Standards
	Equipment
	Procedure
	Management Uses
241.6	Outputs

## CHAPTER 200 - FISH HABITAT ASSESSMENT

The fish habitat inventories contained within this chapter detail the procedures to use on Region 5 waters to assess fish habitat conditions. The survey is divided into four different steps with each step based on the intensity needed to address different levels of planning and activity needs. Sample forms are provided for Steps I and II in order to facilitate data collection.

## 210 - WATERSHED OVERVIEW.

## 211 - Step I Process

- <u>211.1</u> <u>Objectives</u>. The objectives of Step I are to:
- 1. Provide basic information for land and resource management planning on large geographical areas.
- 2. Obtain general statistical information to respond to issues of State and Nation-wide concern.
  - 3. Aid in planning for more intensive levels of survey.
  - 4. Provide a nucleus for accumulation of historical data.
- <u>211.2</u> <u>Standards</u>. Standards for the inventory relate to accuracy. Statistical accuracy is not definable, but directly relates to the scale and accuracy of base maps, photographs, and the human error introduced in measuring the material.

At a minimum, maps used should be as accurate as USGS 7.5 minute series quadrangles. Measurements should at least be made with a map wheel and dot grid. English or metric scale measurements are acceptable but should be consistent for all measurements. (Data bases and analysis routines must include automated data conversion coefficients.)

## 211.3 - Equipment Needed.

USGS 7 1/2 Minute Quad Maps/aerial photographs Planimeter Calculator Watershed Codes (R-5 FSH 2509.24) Step I Watershed Overview Form (exhibit 1, R5-2600-26) Graph Paper

<u>211.4</u> - <u>Procedure</u>. This step is office work. The R5-2600-26 is shown in exhibit 1 and is available electronically. Forests may create their own forms based on their needs but the information listed in exhibit 1, as a minimum, must be incorporated.

<u>Item</u>

# FISHERIES HABITAT EVALUATION HANDBOOK

# Exhibit 1

# Data Entry Instructions: Step I Watershed Overview

Explanation

	.,	HAD I WILL C I OIL		
1. St	ate ·	Enter appropriate co 06 California 32 Nevada 15 Hawaii	ode	from list:
2. Co	ounty	Record county in whi	ich	the stream is located.
3. Fo	rest	Enter appropriate co	ode	from list:
		01 Angeles 02 Cleveland 03 Eldorado 04 Inyo 05 Klamath 06 Lassen 07 Los Padres 08 Mendocino 09 Modoc	11 12 13 14 15 16	Six Rivers Plumas San Bernardino Sequoia Shasta-Trinity Sierra Stanislaus Tahoe Lake Tahoe Basin Management Unit
4. Di	strict	Refer to Forest Service documentation for di		e data general netlink rict codes.
	ional Locator	Number streams in order to establish positive identification of individual waters for computer data files and for storage of survey data for later retrieval and manipulation into output programs. Use a sequential numbering system of a two- and three- digit series of numbers for streams, and use alpha-numeric combinations of numbers based on the drainage and tributary sequence. Regardless of the number of surface waters in the Pacific Southwest Region having the same name, the system will place each of the waters in a specific geographic location. For		

example, the catalog number of Jackass Creek on the Upper San Joaquin River is 18, 004, 000, 006, 010 because it is a tributary to the mainstem San Joaquin River, which is within the San Joaquin

Southwest Region. Therefore, the catalog number

River basin, which is within the Pacific

for each of these streams would be:

## Exhibit 1 -- continued

18 California Region
18, 004 San Joaquin Basin
18, 004, 000 San Joaquin River
18, 004, 000, 006 Upper San Joaquin River
18, 004, 000, 006, 010 Jackass Creek

See R-5 FSH 2509.24 for the principal watershed codes for all forests. Forest Supervisors will assign numbers to remaining surface waters, including lakes.

[BLOCKS 6 THROUGH 13 REQUIRE USE OF A USGS 7-1/2 SERIES QUAD MAP THAT INCLUDES THE ENTIRE WATERSHED FOR THE STREAM. ASSEMBLY OF THE COMPLETE WATERSHED MAP MAY REQUIRE CUTTING AND PASTING TO QUAD SHEETS TOGETHER]

- 6. Stream Name Name of stream as it appears on USGS Quad and/or in forest catalog. Note any differences in stream names in the comments section.
- 7. USGS Map

  Enter the name of the USGS quadrangle containing the stream mouth. If two quad sheets are necessary to form a complete basin, indicate second quad name and which quarter of the quad (NW, NE, SW, or SE) was used.
- 8. Location Record longitude and latitude in degrees, minutes and nearest 5 seconds for the stream mouth or the point where the stream crosses the forest boundary. Use appropriate geodetic scale to interpolate precise longitude and latitude off of the USGS quad. Record township, range and section of the stream mouth or the point where the stream enters the forest boundary. Record section down to the quarter section.
- 9. Aerial Photos Enter the flight line(s), photo numbers and year for the sequence of photos that covers the entire basin.
- 10. Total Length Enter the length of the stream within the forest boundary by ownership: Federal, State, and other. Record to the nearest 0.1 mile. Use the "blue line" method to determine upper end of stream in this step. In this method, measure the main stream channel length by map wheel or digitizer to the end of the "blue line" drawn on the 7-1/2 minute USGS quad.

## Exhibit I -- continued

11. Stream Order

Stream order describes the branching pattern of river systems. Record the stream order of the channel estimated for the stream mouth or at the forest boundary. Use the 7-1/2 minute USGS quad and the crenulation method to determine order. [The crenulation method utilizes the contours on a USGS QUAD. The definition of the source (beginning) of the stream channel is the point where there are no sharp crenulations (that is, bends) in the contour.] (Gregory, 1966)

Using a pencil, draw in the stream channels on the USGS map. To keep track, lightly write the order number next to the channel. The smallest unbranched tributary is a first order channel. When two first order streams join, the stream from that point downstream becomes a second order stream. Likewise, when two second order channels join, it becomes a third order channel and so forth (see figure 1).




Figure 1 Stream Order Using the Crenulation Method

12. Watershed Area Compute total area in the watershed above the stream mouth or forest boundary to nearest 10th acre. Indicate amount within National Forest, other public ownership (State, or other Federal) and private. To obtain this measurement use a planimeter or dot grid. Draw the watershed boundary and land ownership boundaries in pencil on the USGS quad. [Note: Much of this work may have been completed for forest plans] Investigators should inquire of the Lands or Planning units prior to completing these blocks

## Exhibit 1 -- continued

13. Lakes in Record number and acres (TO NEAREST ACRE) of Watershed lakes in the watershed.

[NOTE: ITEMS 14 AND 15 REQUIRE COORDINATION WITH WATERSHED OR TIMBER MANAGEMENT UNITS. DO NOT ATTEMPT TO CLASSIFY STREAMS OR CALCULATE ERA VALUES!}

14. R5 Stream Class

Stream classes are a means of identifying resource values and beneficial uses associated with streams. See R-5 FSH 2509.22 for definitions. Investigators should inquire of the Watershed or Timber units prior to completing this block.

15. Cumulative
Watershed
Effects

Record the percent of drainage affected by management activities based on Equivalent Road Acres. Investigators must get this value from the Forest Hydrologist. Refer to R-5 FSH 2509.22. [NOTE: FILL IN THIS BLOCK ONLY IF THE ERA PERCENTAGE HAS BEEN CALCULATED.]

[NOTE: ITEMS 16-18 REQUIRE COORDINATION WITH CALIFORNIA DEPARTMENT OF FISH AND GAME MANAGEMENT PERSONNEL).

16. State Management

Record the management strategy from the following list, which best describes the California Department of Fish and Game direction for the stream. For some, there may be more than one.

<u>Catchables</u>: Stocking of fish grown in hatchery and stocked when reaching catchable size.

<u>Basic Yield</u>: Primarily provides fishermen with an opportunity to take catchable size fish from streams stocked with fry or fingerling from a hatchery. Fish are grown basically in the wild.

<u>Trophy</u>: Provides opportunity to catch larger than normal size fish.

<u>Unique Species</u>: Fish species (subspecies or races) with limited opportunity for fishermen.

<u>Wild Trout</u>: A trout fishery totally supported by natural production.

Not Classified: Streams not listed in this section.

# Exhibit 1 -- continued

17. Fish Species

Starting from the right, record the most dominant or important fish species, using the corresponding number from the following list of California freshwater fish. Up to five species can be listed.

# Game and Nongame Fish

01-Pacific lamprey	37-Hardhead	88-California killifish
02-River lamprey	38-Hitch	89-Desert pupfish
03-Pacific brook lamprey	39-Sacramento squawfish	90-Owens pupfish
04-Pit-Klamath brook lamprey	43-Tui chub	91-Amargosa pupfish
05-White sturgeon	44-Arroyo chub	92-Salt Creek pupfish
06-Green sturgeon	48-California roach	93-Cottonball Marsh
09-American shad	49-Speckled dace	pupfish
10-Threadfin shad	50-Lahontan redside	94-Mosquito fish
11-Eulachon	51-Red shiner	102-Mississippi
15-Mountain whitefish	52-Flathead minnow	silversides
16-Pink salmon	53-Bigmouth buffalo	103-Threespine
17-Chum salmon	62-Staghorn sculpin	stickleback
18-Coho salmon	63-Slender sculpin	104-Striped bass
19-Chinook salmon	64-Prickly sculpin	105-White bass
20-Sockeye salmon	65-Marbled sculpin	106-Sacramento perch
21-Kokanee	66-Riffle sculpin	107-Black crappie
22-Brook trout	68-Santa Ana sucker	108-White crappie
23-Lake trout	69-Mountain sucker	109-Warmouth
24-Interior Dolly Varden	71-Klamath smallscale sucker	110-Green sunfish
25-Coast Dolly Varden	73-Tahoe sucker	111-Blue gill
26-Cutthroat trout	74-Owens sucker	112-Pumpkinseed
27-Brown trout	75-Klamath largescale sucker	113-Redear sunfish
28-Redband trout	76-Sacramento sucker	114-Largemouth bass
29-Golden trout	77-Blue catfish	115-Spotted bass
30-Rainbow trout	78-Channel catfish	116-Smallmouth bass
31-Artic grayling	79-White catfish	118-Yellow perch
32-Carp	80-Yellow bullhead	123-Tule perch
33-Goldfish	81-Brown bullhead	128-Sharpnose sculpin
34-Tench	82-Black bullhead	129-Rough sculpin
35-Golden shiner	83-Flathead catfish	131-Pit sculpin
36-Sacramento blackfish	85-Rainwater killifish	132-Paiute sculpin
		133-Reticulate sculpin

## Exhibit 1 -- continued

18. Threatened, Endangered and Sensitive Species

Record all TES species using the endangered alphanumeric codes, for example, la or 3b and so forth, listed in the following:

- Endangered (Federal)
  - a. Mohave tui chub
  - b. Owens tui chub
  - c. Unarmored three spined sticklback
  - d. Modoc sucker
  - e. Shortnose sucker
  - f. Lost River sucker
- 2. Threatened (Federal)
  - a. Paiute cutthroat trout
  - b. Little Kern golden trout
  - c. Lahontan cutthroat trout
- 3. Forest Service Sensitive (FSM 2670)
  - a. Summer steelhead
- 4. Endangered (State)
  - a. Bull trout
  - b. Razorback sucker
- 5. Threatened (State)
  - a. Cottonball March pupfish
  - b. Rough sculpin
- 19. Stream Flow Data Enter yes or no accordingly if streamflow data is available. Indicate where data is stored, that is, STORET (computer data base), State, Forest Service, USFWS or consultants reports. If in report format, record date, author and title.
- 20. Water Quality Data Enter yes or no. Indicate where data is stored (see 19. Record date, author and report title if in report format.
- 21. Macroinvertebrate Enter yes or no. Indicate where data is
  Data available. Record date, author and report title if
  in report format.
- 22. Major Land Uses Record up to five land uses from the alphain Drainage numeric codes listed in the following:

## Exhibit 1 -- continued

- 1. Road development
  - a. Paved roads
  - b. Unpaved roads
- 2. Timber harvest
- 3. Mining
  - a. Open pit
  - b. Hard rock
  - c. Suction dredge
- 4. Livestock grazing
- 5.Wilderness

- Water development(s)
  - a. Large hydro
  - b. Small hydro
  - c. Diversion
- 7. Developed recreation
  - a. Ski areas
  - b. Campgrounds
- 8. Dispersed Recreation
- 9. Urbanization
- 10. Off-Highway Vehicle Use

23. Historical Land
Use Data

Enter yes or no. Indicate where data is stored (for example, stand record cards).

24. Comments

Enter all comments that clarify other items or that are important to describe the overall condition of aquatic resources in the watershed.

25. Name

Enter last name and first initial of the individual completing the form.

26. Date

Enter the numerical designation for month/day/year, left to right, for example, June 1, 1988 is 06-01-88.

<u>Data Entry Instructions for USGS Map</u>: This information can be entered directly on to the USGS map.

1. Channel Types

Using gross gradient breaks listed in the following USGS quad sheet contours, divide the stream channel into A, B and C channel segments. Use an arrow pointing downstream (<--) to indicate the approximate end of the channel type. Clearly label each segment A, B, or C. Construct a longitudinal profile using graph paper to help determine the breaks.

Channel Type Gradient Breaks

<2.0% = C channels

2.0 - 3.9% = B channels

>4.0% = A channels

# Exhibit 1 -- continued

2. Landmarks/Access
Points

As clearly as possible, highlight landmarks, access points, special features and other items visible on the aerial photos but not shown on the USGS quad. This is particularly important if new roads, facilities or other developments have been constructed in the watershed since the last USGS update of the quad.

 $\underline{211.5}$  -  $\underline{\text{Outputs.}}$  The Step I Watershed Overview data form provides a rapid summary of general watershed level information to examine prior to field work of any sort.

The USGS map is the general reference for more specific habitat assessment work.

Under cover of the Step I form and the USGS map, attach all pertinent historic information, including but not limited to, past Stream Survey data (R5-2600-16), Lake or Reservoir Survey data (R5-2600-17), Stream Crossing Structures and Evaluation Inventory data (R5-2600-18), and CDF&G stream survey reports or fish sampling data.

USDA - Forest Service

R5-2600-26 (12/91)

# WATERSHED OVERVIEW (Step I)

	(Ref: FSH 2609.23)
1.	State 2. County 3. Forest 4. District
5.	Catalog No
6.	Stream Name 7. USGS Quad
	Location: Longitude Latitude
9.	Aerial Photos (FL & nos., yr)
10.	Total Length miles USFS, Other Federal, State Pvt
11.	Stream Order 12. Watershed Area (acres): USFS Other public , Pvt
13.	Lakes in Watershed: Number Area (acres)
14.	R5 Stream Class: 15. Cumulative Watershed Effects (%)E.R.A
16.	State Management Concepts: Catchables _ Basic Yield _ Wild Trout _ Trophy _ Unique Species _ Not Classified _
17.	Fish Species,,, (Record up to 5 codes)
L8.	Threatened, Endangered or Sensitive Species,,,,
L9.	Stream Flow Data:
20.	Water Quality Data:
21.	Macroinvertebrate Data:
22.	Major Land Uses in Drainage,,, (Up to 5 codes)
23.	Historical Land Use Data:
24.	Comments:
25.	Investigators 26. Date//

220 - STEP II HABITAT INVENTORY -- QUALITY AND QUANTITY.

## 221 - Step I Process.

- 221.1 Objective. Step II is the basic habitat inventory for determining the quality and quantity of fish habitat. The objective of Step II is to provide information necessary to develop a sound habitat program, including land management recommendations and habitat restoration and improvement projects.
- <u>221.2</u> <u>Standards</u>. Specific standards for the procedure to accomplish Step II are listed in the following:
- 1. Determine selected morphological characteristics of stream channels for watersheds on National Forest System and adjacent lands. The aggregation of these characters must follow the "channel type" delineations adapted from Rosgen's channel typing system. (Exhibit 2)
- 2. Systematically classify and quantify fish habitat for complete watersheds, using standard habitat types found in McCain et al., 1990. (Exhibit 3)
- 3. Collect biological data using sampling techniques that describe species composition, age class, and relative numbers for individual habitat types. (Exhibit 4)
- 4. (Optional) Identify vegetative community typing and relative abundance of streamside (riparian) and aquatic vegetation as a link to the ecological classification system. Data collection can follow the format on Channel Analysis Sample Form. See FSH 2090.11 for full ecosystem classification format.
- <u>221.3</u> <u>Equipment Needed</u>. The following is a list of equipment needed to perform basic habitat inventory:

Step II sample forms as appropriate.

USGS Quads and aerial photographs

Abney level

Hand level and stadia rod (for measuring gradients and depth)

Spherical densiometer

Camera

Current meter

Measuring devices

Flagging or tagging material

Sturdy stream boots, wading gear.

Snorkel gear, wet suit or dry suit

Thermometer

221.4 - Procedure. There are three phases needed to complete Step II: (1) preplanning before starting field work; (2) field measurements (Exhibit 2, 3 & 4), and (3) office work (data analysis).

221.5 - Preplanning. Prior to entering the field, determine equipment and information needs. Field crews and forest stream habitat assessment supervisors shall agree on amount of stream to cover daily. This can be adjusted based on various field and personnel constraints. Outfit field crews according to the Job Hazard Analysis form FS-6700-7. Brief field crews periodically over the length of the assessment period, using the Tail Gate Safety session concept to review field hazards and check equipment.

Using the USGS Quads completed at Step I and aerial photos, field crew leaders or Forest stream habitat assessment supervisors shall determine the following standard mapping conventions:

- 1. Preliminary channel types and approximate channel type beginning and ending points.
  - 2. Identification of unnamed tributaries of main channels.
    - a. Channel types are lengths of stream channel with relatively uniform channel morphological features. Determine channel types in the field. However, make preliminary channel delineations (either A, B or C) by using channel gradient breaks determined by developing the longitudinal profile required in Step I. Indicate the downstream extent of a channel type on the field map with an <- pointing in the downstream direction.

A reach cannot be longer than the length of a channel type. However, when the channel type extends over great distances it may be necessary to subdivide the channel type length into shorter defined reaches in order to obtain a more detailed channel analysis. The numbering convention should be standard with the first reach in a watershed being at the stream mouth or forest boundary.

b. After surveying unnamed tributaries assign an alphabetic delineation according to their location in the watershed. Designate the tributary nearest the stream mouth "trib a". Assign the next letter of the alphabet to each tributary entering the main channel upstream of the initial tributary. (If surveying more than 28 tributaries in a drainage, assign "aa", "bb", and so forth). Tributary channel types and reaches begin at the confluence with the main channel and numbered consecutively using the same standard conventions as the main channel reach numbering: "trib a, #1" designates the first reach in the first tributary.

221.6 - Field Sampling. This is the minimum amount of data to collect for Step II. Flexibility is built in by allowing the biologist/hydrologist to add information and increase the sampling schemes based on individual forest needs and objectives. These forms are electronically filed in the forms library. The forms provided serve as examples only and can be used by the forest to create their own forest forms. However, the information listed on the optional forms must be incorporated into the forest forms. Work with your forest forms manager to make necessary changes. The forms are listed as:

R5-2600-27 (12/91) - Channel Analysis R5-2600-28 (12/91) - Habitat Typing Form R5-2600-29 (12/91) - Biological Inventory

# Exhibit 2

# Channel Analysis

A. This information is gathered once for each channel type (or sub-divided reach, as previously outlined.)

	<u>Item</u>	<u>Explanation</u>
1.	NOOF	Print in the sequential number of the form, beginning with "1" on the first set of the forms, "2" on the second set and so on. Record data on this form once for each stream reach. When all forms for a channel type are complete, add total number on each form behind "of".
2.	Date	Enter the day's date in the form mm/dd/yy.
3.	Stream	Print in the stream's name first, followed by the name of the drainage.
4.	Forest and District	Enter name of forest and the ranger district on which the stream is located.
5.	Stream Locator Code	Record watershed locator code as described in Step I. Place the number to the far left and leave the remaining spaces blank.
6.	Aerial Photo	Enter the flight line, photo number and year of aerial photos in which the stream reach occurs.
7.	USGS Quad	Enter the name of the USGS quadrangle containing the reach.
8.	State	Record appropriate code for State in which stream is located.
9.	County	Record county in which the section of the stream being surveyed is located.
	(RECORD ITEMS 10 THROUGH 16 AT THE BEGINNING OF A DESIGNATED REACH.)	
10.	Reach Number	Record the number assigned at the preplanning stage beginning with 1 for the lowermost stream reach in the basin.
11.	Elevation	Record the elevation to the nearest 0.1 M above sea level, using a pocket altimeter.

## Exhibit 2 -- continued

12. Access Enter the dominant access to the reach.

- 1. Access is satisfactory for modern car.
- 2. Access if sppropriate for pickup.
- 3. Access is appropriate for 4-wheel drive.
- 4. Access trail for horse or foot travel.
- 5. No trail to area.
- 13. Road Number Record nearest road number from quad.
- 14. Location Record the latitude and longitude to the nearest minute and township, range and section at the beginning of each reach. Latitude and longitude should be extrapolated from USGS quads. Sections should be recorded as NW, NE, SW, or SE 1/4 of the section.
- 15. Flow Regime Enter ephemeral, intermittent, or perennial.
- 16. Flow Record the flow volume at time of survey to the Measurement nearest 0.1 cubic meter per second (cms) or nearest 0.1 cubic feet per second (cfs). Utilize a representative site with laminar flow. Stretch a tape across the channel and take a minimum of 4 depth and velocity measurements. Flow is determined by multiplying average depth by width by velocity. Take as many readings as practical using one of the following meters. In difficult access areas the float method is acceptable.
- 17. Type of Flow Record code for meter type used.
  Meter
  - 1. Pygmy Meter
  - 2. Price Meter
  - 3. Electromagnetic Current Meter
  - 4. Other

(RECORD ITEMS 18 THROUGH 25 OVER THE LENGTH OF A DESIGNATED STREAM REACH.)

18. Average Record stream gradient to the nearest 0.5
Gradient percent using a hand level and rod, as a
minimum. Take gradients over 100 M (300 Ft.)
lengths or over the visible distance if between
channel bends or in heavy vegetation, and
averaged over the reach. Do not include
measurements beyond the gradient breaks used to
define end points for channel types.

## Exhibit 2 -- continued

- 19. Channel Type Print in channel type using the system adapted from Rosgen stream channel classification system.
- 20. Reach Length Record total length of stream reach.

numbers 15-22)

- 21. Habitat This procedure is part of the Channel Analysis
  Inventory but has a seperate data collection form for all
  habitat types within the channel type reach. See
  Exhibit 3 for instructions. On the Channel
  Analysis data sheet, fill in the form numbers
  from the Habitat Typing Form. (For example, form
- 22. Other Forms/ Reference any other inventories completed for Inventories this reach, (for example, WINI, Channel Stability, Ecosystem Mapping) and indicate their location.
- 23. Riparian (Optional) A riparian ecosystem is a transition between the aquatic ecosystem and the adjacent terrestrial ecosystem and is identified by soil characteristics and distinctive vegetation communities that require free or unbound water. Take this inventory at a site(s) representative of predominant riparian character within the reach.
  - a. Ecosystem Code (Reserved for future use.) Do not fill in a code unless available from a preliminary or final ecosystem classification data base.
  - b. Width Record an estimated total width for the riparian zone including the stream channel. Make the estimate by summing individual distance estimates viewed from the left and right edge of the water. (If you cannot obtain a clear field of view from the water's edge, move to a spot on the bank where you can make a visual estimate can be made and add the distance to the water's edge.)
  - c. Vegetation Layers Enter the percent of the total of each class observed in the riparian zone. The percentage should equal 100% for each layer. Utilize the following definitions:

<u>Upper</u> - the overstory layer, generally composed of trees.

## Exhibit 2 -- continued

CONIFER - evergreen trees that generally produce cones, for example, pines, firs, redwoods.

HARDWOOD - broad leafed trees that loose leaves in fall/winter period, for example, alders, aspen and maple.

OTHER - trees that do not fall into the above two categories, for example, Joshua trees.

<u>Middle</u> - middle tier. When the overstory is not predominant, it may form primary shade canopy.

SHRUBS - plants with woody stems and generally profuse foliage, for example, willows, young alder, devil's club or vine maple

BRUSH - plants with woody stems, spindly and with generally sparse vegetation, for example, sagebrush, chapparal, chemise, salmonberry

OTHER - woody plants that do not fall into the above two categories.

Lower - herbaceous ground cover ranging from grasses to bare soil.

d. Nondependent Riparian Use Levels - Enter the usage codes appropriate for the stream reach from the following list:

0 = None 2 = Moderate

1 = Low 3 = High

Record first initial and last name of each member of the team.

Add comments that help to clarify observations made on the form or that are important to help understand observations about aquatic resources. Note any photographs (use roll and photo number format) taken of general reach conditions, riparian areas, or habitat improvement opportunity sites.

24. Team

25. Comments

USDA - Forest Service

R5-2600-27 (12/91)

# CHANNEL ANALYSIS (Step II) (Ref: FSH 2609.23)

1. Form #\_\_\_of\_\_\_ 2. Date \_ \_/\_ \_/\_ \_ 4. Forest/District \_\_\_\_\_ Stream 5. Locator Code \_\_\_\_\_\_ 6. Air Photo (FL,#,yr) \_\_\_\_\_ 8. State \_\_\_\_\_ 9. County \_\_\_\_\_ 7. USGS Quad \_\_\_\_\_ [DATA TAKEN AT BEGINNING OF REACH] 10. Reach #\_\_\_\_\_ 11. Elevation \_\_\_\_\_ 12. Access \_\_\_\_\_ 13. Road # \_\_\_\_\_ 14. Location: Lat \_\_\_\_\_ Long \_\_\_\_ T\_\_\_ R\_\_\_ S\_\_\_\_ 15. Flow Regime \_\_\_\_\_ 16. Flow Measurement \_\_\_\_\_(cms/cfs) 17. Method \_\_\_\_\_ [DATA TAKEN OVER THE REACH] 18. Average Gradient \_\_\_\_\_ 19. Channel Type \_\_\_\_\_ 20. Reach Length\_\_\_\_\_ 21. Habitat Inventory: Form #'s \_\_\_\_\_ 22. Other Forms/Inventories (Optional) Cross Reference \_\_\_\_\_\_ 23. Riparian Inventory (Optional): a. Ecosystem Code \_\_\_\_\_ (Ref. FSH 2090.11) b. Average Width \_\_\_\_\_ c. Vegetation Layers (total observed within reach) <u>Upper</u>: CONIFER \_\_\_\_\_ % HARDWOOD \_\_\_\_\_ % OTHER (\_\_\_\_\_) \_\_\_\_\_ % Lower: GRASSES \_\_\_\_\_% FORBS \_\_\_\_% LITTER \_\_\_\_% ROCK \_\_\_\_\_% BARE SOIL \_\_\_\_% d. Nondependent Riparian Use Levels (% observed within reach) ROAD \_\_\_\_ GRAZING \_\_\_ MINING \_\_\_ DEVELOPED REC \_\_\_\_ DISPERSED REC\_\_\_\_\_ TRAIL\_\_\_\_ TIMBER HARVEST\_\_\_\_ OFF HWY. VEHICLE\_\_\_\_\_ OTHER (TYPE)\_\_ 24. TEAM 25. COMMENTS \_

#### EXHIBIT 3

#### Habitat Inventory

Fill out the form for all habitat units within a channel type or sub-divided reach. In most cases, more than one form is necessary.

- 1. Stream Name Enter name of stream as listed on USGS Quads.
- 2. Form number If more than one Habitat Typing Form is filled out for a reach, use the format Form# \_\_ of \_\_to indicate total forms used for that stream.
- Date Enter the day's date in the form mm/dd/yy.
- 4. Channel Type Print in the channel type. Begin a new series of Habitat Inventory forms for each channel type.
- 5. Reach Number Enter the reach number beginning with 1 for lower-most reach in the basin.
- 6. Field Photo

  Record roll identifier and photo number of habitat type pictures taken in the field. Black and white prints or color slides are acceptable. Field crews should attempt to record both upstream and downstream view of habitat types. It is recommended that a crewmember, measuring rod or some other item of known dimensions be included in the picture to denote scale and direction of flow. A photo record of at least one of each different habitat types within a reach can be made.
- 7. Habitat Type Fill out the form for all habitat units within Information a stream reach. Start a new page for each new channel type.
  - a. Habitat Unit # Number habitat units sequentially, beginning with #1 from the mouth or Forest boundry.
  - b. Habitat Unit Type

    Enter the number for the habitat type from the range of habitat types in McCain et. al. 1990. Record only dominant habitat types, that is those that are longer than one width of the wetted channel. The one exception to this is if the Habitat Type is significant (that is, a short riffle separating two distinct pools.).

## Exhibit 3 -- continued

c. Side Channel Unit
Number

When numbering side channels, parallel or adjacent units, begin with the number of the unit where the downstream split or divide begins, use a new column for each adjacent unit. The side channel would be numbered "\_.1". If there was a second side channel in the same unit it would be numbered "\_.2" and so on. For side channels containing more than one habitat type, units are numbered "\_.11", "\_.12", "\_.13" and so on. See example below:

HABITAT UNIT #
HABITAT UNIT TYPE
SIDE CHANNEL UNIT

1	10		11				
İ	1	1	13	2	1	2	1
İ		10.1		11.1	11.21	11.22	11.23

This example shows habitat unit 11 having two side channels or adjacent units with the second, 11.2, having three habitat units in it. Draw picture to clarify.

d. Length

Enter the length for each habitat type.

e. Mean Width

Enter the mean width for each habitat

type.

f. Mean Depth

Enter the measured mean depth for each

habitat type unit.

g. Max Depth

Enter the measured maximum depth for each habitat type unit.

h. Dp @ Pool Tail

Crest.

Enter the measured depth at the pool tail crest. This location is usually upstream of the point where the water surface slope

breaks into the riffle. Use this measurement in calculating residual pool

volume.

i. Stream Shade

Enter the % canopy closure or density using spherical densiometer and following the technique outlined in Platts et. al., 1987. Record stream shade reading for each habitat type per sampling scheme (for example, sample every unit or a 20% sample size of each habitat type).

## Exhibit 3 -- continued

j. Instream Cover

Enter the visually estimated percent of the total wetted habitat type area that has cover. Classify cover by types indicated on the form. Note: SWD = small woody debris, LWD = large woody debris, and RW = rootwads. Include terrestrial vegatation within .3M above water. White water includes bubble curtains formed by plunge pools.

k. Cover Complexity

For all pools enter 1(low), 2(low-medium), 3(medium), 4(med-high), or 5(high) for the complexity rating of cover. Consider availability to fish, using surface area and degree of submersion as your guides; for example, a root wad is more complex than a log, but only if submerged.

1. Substrate Composition

Enter the percent of the total unit bottom that each substrate size class occupies, per sampling scheme.

m. Substrate Embeddedness

In pool tails and low gradient riffles, enter the percent that the substrate is embedded. (Embeddedness here refers to the visually derived percentage of filling in the interstitial spaces around gravel or cobble substrate.)

n. Exposed Substrate

In riffles, enter the percent of the stream area that consists of substrate exposed above the water surface.

o. Time-Temperature

In every fifth habitat type enter the time of day in military time and record the temperature in centigrade.

p. Comments

Enter any comments that will aid the biologist/hydrologist in identifying that site, that is, road crossings, artificial structures-weirs, deflectors, boulders, slides, distinctive geomorphological observations and biological observations. If using a computer database system that allows querying of comments crews can use certain "buzz words" (for example, trib; artificial; slide; and so on), to assist the biologist in finding specific sites.

USDA - Forest Service

R5-2600-28 (12/91)

## HABITAT TYPING FORM (Step II)

(Ref: FSH 2609.23)

. Stream Name4.	Ch	annel	Type_					. Form		
. Field Photo: Roll	_#_	#_	#	:#	#	#	#_	#_	#	
Measurements in units a.HABITAT UNIT # b.HABITAT UNIT TYPE	of:	MET	ERS   	FE	ET   	(1/1	0THS) 	(1	1/12TH	s)
c.SIDE CHANNEL UNIT # d.LENGTH e.MEAN WIDTH										
f.MEAN DEPTH g.MAX DEPTH h.Dp @ POOL TAIL CREST i.STREAM SHADE %	.  .  .									
j.INSTREAM COVER Total undercut banks	8		xxxxx   	*****   	xxxxx   	xxxxxx   	xxxxxxx   	<u> </u>	CXXXXX	xxxxxx L L
<pre>swd (d&lt;0.3M) lwd (d&gt;0.3M,RW) terr.vegt.(h&lt;0.3M) aqua.vegt.</pre>	8 8 8									
white water boulders (d>30CM) bedrock ledges	96 96									
c.COVER COMPLEXITY L.SUBSTRATE COMPOSITION bedrock	8	****	****	*****	*****	*****	*****	* * * * * * *	****	****
boulder (>30cm) cobble (>8-30cm) gravel (>0.5-8cm) sand (1mm-0.5cm)	왕   왕   왕									
fines (<1mm)  n.POOLTAIL EMBEDDEDNESS  1.EXPOSED SUBSTRATE	8									
o.TIME-TEMPERATURE (every 5th unit) o.COMMENTS	İ.	****	****	•		: xxxxxx ******			XXXXX *****	
		1			   	   				

### Exhibit 4

B. BIOLOGICAL INVENTORY - Refer to R5-2600-29 . Record the following for habitat sites to be inventoried as decided by the fish biologist. Make decisions on type of sampling equipment, sampling frequency and objectives of sampling before entering the field (see D. Azuma, 1990 "Generic Aquatic Resource Monitoring" for information in establishing a biological inventory scheme). Obtain a valid Scientific Sampling Permit from the California Department of Fish and Game Regional Office prior to sampling by electrofisher, nets or other removal methods. Notify local CDF&G fisheries biologists or wardens prior to each sampling event, regardless of method.

1.	Reach Number	Record the sequential number of the sampled stream reach. (This number should be the same as item 10. Reach # on the Channel Analysis Form.)
2.	Form #	Enter the form number as 1 of "x", 2 of "x", and so forth, where "x" is the total number of forms completed for the reach.
3.	Date	Record the day's date as mm/dd/yy.
4.	Stream Name	Record the stream name as listed on the USGS Quad.
5.	USGS Quad	Enter the name of the USGS 7.5 minute series quadrangle containing the stream.
6.	Location	Enter latitude and longitude to the nearest minute for the site. Enter township, range, and section location at the beginning of the stream reach.
7.	Habitat Type Unit	Enter the number or abbreviation for the sampled individual habitat type. The number/abbreviation should correspond to item 22. a. HABITAT UNIT TYPE on the Habitat Typing Form.
8.	Mean Length	Record the visually estimated/measured mean length for each habitat type.
9.	Mean Width	Record the visually estimated/measured mean width for each habitat type.
10.	Mean Depth	Enter the measured mean depth on each habitat type unit.
11.	Maximum Depth	Enter the maximum depth for each habitat type unit.
12.	Depth @ Riffle	Enter the measured depth at the riffle

crest.

Crest

## Exhibit 4 -- continued

		•
13.	% Shade	Enter the % canopy closure or density using the spherical densiometer and following the technique outlined in Platts et. al., 1987.
14.	% Embeddedness	Enter the percent of substrate surface covered by sediment.
15.	Exposed Substrate	Enter the percent of the stream area that consists of substrate exposed above the water surface.
16.	Substrate Composition	Enter the percent of the total unit bottom that each substrate size class occupies.
17.	Instream Cover	Enter the percent of the area of the unit in which cover physically occupies. Classify cover by types indicated. Note: SWD=small woody debris, LWD=large woody debris (includes root wads), white water includes bubble curtains. Include terrestrial vegatation within .3M above the stream. Indicate whether or not depth is a significant component and enter Y or N
18.	Complexity	Enter 1(low), 2(low-medium), 3(medium), 4(medium-high), or 5(high) for the complexity rating of cover. Consider availability to fish, using surface area and degree of submersion as guides; that is, a root wad is more complex than a log, but only if embedded. Consider depth as a component and adjust rating accordingly.
19.	Aquatic Vertebrate Survey	Record water temperature to nearest degree centigrade, time of day in military time and cloud cover(cloudy, partly cloudy or clear). Record fish species, age group, and numbers sampled or observed. Circle the sampling method used in the survey.
20.	Comments	Record comments regarding any of the above observations. Use this section to record photographs using roll identifier and photo number format. Photos may be black and white prints or color slides and may include examples of habitat type units, fish species or sampling activities.
21.	Team	Record the first initial and last name of each

investigator on the team.

USDA - Forest Service

21. Team:\_\_

R5-2600-29 (12/91)

## BIOLOGICAL INVENTORY

(Step II)

					(Scep 1					
				(Ref:	FSH 2	609.23)				
					1. R	teach #		2	. Form #	of
*		r).				3.	Da	te/_	_/	
				* *					_	
4. Str	eam Name					w		5. USG	S Quad	
6. Loc	ation: La	at		_ Long		Twn_		_RngS	ec	
7. Hab	itat Type	e Unit		8.	Mean Le	ngth		9. Me	an Width	1
10. Mea	n Depth_	1	1. 1	Max Dept	.h	12.	De	pth @ Rif	fle Cres	it
13. % S	hade	14.	% Er	mbeddedr	ess	15		% Exposed	Sub	
16. Sub	strate Co	omposition	ı:							
a	& 1	o	<b>.</b> 8 (	c	% d.		ક	е.	% f.	9
fines	<1mm	sand		grav	rel	cobble		bould	er	bedrock
17 Tma	C	Maka	1 5.		•					
a)	tream Cov	ver: Tota c)	T 15	ercent C	over	£)		۵۱,	h)	
under	cut swa	i lwd	`	terr v	reat aa	 natic w	hi	9/	uldere	hedrock
bank	s d<0.3	$3M  ext{d} > .3M$	L,RW	h<.3M	l v	eat w	at	er di	>30cm	ledges
						-3		-		
i) Dept	h									
10 Co	. 7									
18. COM	prexity				a Werte	brate Sur		,-		
Water To	emp								Cover	
	Age		*		Age		*		Age	1
Species	Class	Numbers	<b>*</b>   <u>5</u>	Species	Class	Numbers	*	Species	Class	Numbers
			*				*		!	ļ
	<u> </u>	<u> </u>	*   *		<u> </u>				1	1
			*			! 	*   *		 	
			*			İ	*			
			*		<u> </u>		*			
			*				*			!
	-	<del> </del>	<b>*</b>     <b>*</b>				*			
	İ	! 	*		! 	[	<b>*</b>   <b>*</b>			 
Method:	Seine	Sn	orke	1	Visu	al	I	Electrosho	ocker	
20 0										
au. Com	menics:		************							

221.7 - Outputs. Development of summary tables and graphs for comparison and analysis of physical data. Query data to display and print by habitat type. Generate counts of number of units measured, as well as sums and averages for physical parameters (See Exhibit 5 for example outputs): The summarized data is then used to develop graphs and charts to display habitat type frequencies and distribution by length, area or percentage. Data queries can also be developed to display habitat sequences or areas of low or high habitat diversity.

72.60 ACRES

## FISHERIES HABITAT EVALUATION HANDBOOK

## Exhibit 5

UNITS	HABITAT	XIAN	TOTAL	& TOTAL	HEAN	HEAN	MAXIMUM	MENN AREN	TOTAL AREA	MEAN VOL.	TOTAL VOL.	MEAN RESID. POO
HEASURED	TYPE	LENGTH M.	LENGTH N.	LINGTE	WIDTH M.	DEPTH N.	DIPTE M.	sq.n.	sq.K.	CU.N.	CU.M.	VOL. CU. N.
214	1	88.42	18921.64	51.31	6.80	0.34	0.63	680.5	145617.3	267.2	57177.4	0.0
64	2	41.45	2652.06	7.19	8.59	0.46	0.80	362.4	23193.4	175.0	11199.6	0.0
39	3	76.38	2978.39	8.08	9.72	0.64	1.24	751.7	29317.6	501.5	19559.4	0.0
5	4	31.76	158.85	0.43	3.41	0.43	0.70	118.6	592.9	37.5	187.3	5.8
25	5	9.72	242.85	0.66	4.30	0.46	0.80	41.7	1042.5	20.7	516.6	7.9
3	6	6.61	19.81	0.05	3.38	0.52	0.93	21.7	65.2	12.1	36.2	11.6
18	7	8.66	155.65	0.42	3.99	0.43	0.78	37.4	672.8	15.8	284.5	13.7
15	8	22.37	335.63	0.91	6.67	0.98	2.13	160.8	2411.6	193.0	2894.9	333.0
37	9	16.61	615.03	1.67	6.89	0.67	1.16	126.1	4664.4	92.7	3429.7	105.9
19	10	16.40	311.43	0.84	5.12	0.52	0.87	91.1	1731.3	46.2	877.5	52.1
11	11	13.72	150.9 <del>9</del>	0.41	4.48	0.43	0.79	58.3	641.7	25.1	275.6	32.0
82	12	20.02	1642.64	4.45	5.67	0.64	1.26	122.7	10063.1	85.8	7033.0	128.9
10	13	15.06	150.59	0.41	4.72	0.70	1.30	78.5	784.6	57.5	574.9	84.3
15	14	15.45	231.70	0.63	8.59	0.40	0.56	150.9	2262.9	70.6	1059.4	0.0
42	15	52.64	2210.88	5.99	7.38	0.43	0.78	422.5	17749.3	179.0	7518.5	0.0
31	16	102.62	3181.01	8.63	9.36	0.55	1.16	966.0	29947.1	582.9	18069.3	0.0
60	17	29.32	1758.76	4.77	7.53	0.82	1.70	247.2	14834.6	249.6	14978.9	317.1
9	18	19.63	176.53	0.48	4.45	0.30	0.46	80.4	723.4	24.1	216.9	0.0
4	19	14.57	58.31	0.16	6.86	0.91	1.53	96.0	383.9	82.9	331.7	118.3
33	20	18.96	625.97	1.70	7.89	0.70	1.49	159.1	5251.5	126.1	4161.8	183.0
5	21	57.91	289.48	0.78	7.13	0.30	0.48	349.8	1748.9	112.9	564.7	0.0
1	22	11.09	11.09	0.03	6.49	0.76	1.30	72.0	72.0	54.9	54.9	76.2

Summary of habitat types and measured parameters (in meters).

## Exhibit 5 - continued

	SUNNART OF EA	BITAT TYPES A R.5E., SEC.30	ORLEANS R.D. AND ESTIMATED PA		SIX RIVERS NO D CODE: 018-001-	ATIONAL FOREST	COUNTY: SISKIFOU, DEL MORTE, HUMBOLDT SURVEY DATES: 6/21/88 - 8/17/88 USGS QUADS: WEITCHPEC, FISH LAKE, LONESOME RIDGE							
UNITS MEASURED	HABITAT TYPE	HEAN PRECENT COVER	NEAN LEIPOSED SUBSTRATE	MEAN PERCENT SHADE	MEAN SUBSTRATE EMBEDDEDNESS	HEAN PERCENT FINES	HEAN PERCENT SAND	nean Percent Gravel	PERCENT COBBLE	MKAN PERCENT BOULDER	HEAN PERCENT BEDROCE			
53	1	13	15	29	10	1	11	22	41	19	6			
21	2	5	16	21	17	1	11	15	38	29				
13	3	4	18	13	30	1	9	11	29	37	13			
2	4	29	8	45	3	3	40	20	25	13	0			
9	5	30	16	31	4	1	19	19	41	19	1			
1	6	57	0	58	5	5	20	30	45	0	0			
4	7	51	0	64	•	1	30	36	31	1	0			
1	8	22	5	53	65	0	10	10	10	5	65			
13	9	49	8	35	17	1	12	19	42	20	7			
3	10	38	3	55	8	3	1	28	45	13	2			
4	11	40	5	52	13	8	16	38	36	3	0			
17	12	29	7	41	11	2	21	24	29	14	10			
2	13	59	0	60	5	3	20	35	40	3	0			
6	14	0	3	45	4	1	16	31	40	8	4			
8	15	3	6	30	4	0	12	24	50	13	1			
1	16	2	19	13	18	1	13	16	36	26	9			
14	17	24	4	31	11	1	25	27	30	10	7			
6	18	21	8	33	3	7	23	28	26	10	6			
2	19	35	5	25	8	0	15	25	38	23	0.(			
1	. 20	29	16	26	16	1	20	21	29	23	6			
4	21	38	38	37	9	3	14	26	26	30	0			
1	22	40	0	60	10	Ď	20	45	35	0	Ó			

TOTAL UNITS MEASURED= 199

Summary of habitat types and estimated parameters.

MEAN HUMBER OF FISH OBSERVED PER HABITAT TYPE PARAMETERS NEASURED IN METRIC UNITS															
UNITS SAMPLED	HABITAT TYPE	0+ Steelhead	1+ Strlhead	2+ STEELHEAD	SUMMER STEELHEAD	0+ Chimook	0+ C0H0	nean area sq. h.	TOTAL AREA SQ. N.	HEAN LENGTH N.	NEAR VIDTE N.	HEAR DEPTE N.	MAZIKUM DIPTH M.	PERCENT	PERCENT
33	1	48.15	5.61	1.12	0.03	0.03	0.00	247.65	8172.41	30.72	8.11	0.30	0.55	50	43
14	2	14.79	4.86	0.93	0.07	0.36	0.00	174.82	2447.41	17.68	9.45	0.46	0.79	44	76
5	3	7.80	4.00	0.60	0.00	0.00	0.00	164.40	822.02	17.49	9.63	0.61	1.01	43	90
1	8	8.00	0.00	0.00	0.00	0.00	0.00	20.07	20.07	8.23	2.44	1.22	1.89	50	43
9	9	15.33	11.89	1.56	0.11	0.11	0.00	134.33	1209.01	12.25	10.94	1.01	1.43	50	47
13	12	52.69	4.69	1.00	0.00	0.00	0.00	187.35	2435.49	22.83	. 7.80	0.76	1.43	61	26
2	13	40.00	8.50	2.00	0.00	0.00	0.00	101.95	203.90	11.89	8.69	1.01	1.74	53	88
10	14	64.80	4.90	0.70	0.10	2.00	0.00	402.61	4026.10	34.01	11.64	0.46	0.85	52	17
34	15	46.00	7.56	1.53	0.06	1.00	0.06	215.15	7349.15	24.87	8.44	0.55	0.85	49	29
23	16	52.09	22.52	3.17	0.17	2.48	0.00	404.34	5295.77	39.41	10.18	0.55	0.91	40	51
24	17	39.13	9.33	1.50	0.46	4.04	0.54	183.71	4409.01	21.00	8.50	0.88	1.49	54	32
12	20	27.58	5.42	1.33	0.25	0.08	0.00	187.13	2245.65	16.64	11.55	0.76	1.49	45	33

 TOTAL NUMBER OF FISE OBSERVED

 TOTAL UNITS
 0+
 1+
 2+
 SUMMER
 0+
 0+

 SAMPLED= 180
 STEELHEAD
 STEELHEAD
 STEELHEAD
 CRIMOOK
 COHO

TOTAL AREA SAMPLED: 42639.98 SQ.METERS

TOTAL LENGTH SAMPLED= 4583.66 METERS

Mean number of fish per habitat type based on 20% sample size using direct observation methods.

R-5 FSH AMEND 1 EFFECTIVE 7/14/92

## Exhibit 5 - continued

	LL SUNKA	RY TABLE B T.10N., R.				PER HABITA WATERSHED	SURVEY DA	COUNTY: HUMBOLDT, DEL HORTE. SISKITOU RTES: 7/24/89 -8/23/89 USGS QUADS: WEITCHPEC, FISH LAKE, LOWESOME RIDGE									
UNITS MEASURED	HABITAT TYPE		TOTAL 0+ STEELHEAD	NEAR 1+	TOTAL 1+	KEAN 2+	HABITAT TY TOTAL 2+ STEELHEAD	MEAN 0+		NEAN 0+ COHO	TOTAL 0+ COHO		FISH D O+ STEELHEAD	EHSITY PER 1+ STEELHEAD	HABITAT ARE 2+ STEELHEAD	Q (FISH/SQ Q+ CHINOOK	COHO 0+
33	1	48.15	1589	5.61	185	1.12	37	0.03	1	0.00	0	ī	0.25190	0.02193	0.00344	0.00014	0.00000
14	2	14.79	207	4.86	68	0.93	13	0.36	5	0.00	0	ĺ	0.09139	0.03018	0.00463	0.00276	0.00000
5	3	7.80	39	4.00	20	0.60	3	0.00	0	0.00	0	ĺ	0.05292	0.02415	0.00340	0.00000	0.00000
1	8	8.00	8	0.00	0	0.00	0	0.00	0	0.00	0	1	0.39801	0.00000	0.00000	0.00000	0.00000
` 9	9	15.33	138	11.89	107	1.56	14	0.11	1	0.00	0	ļ	0.13061	0.09828	0.01284	0.00171	0.00000
13	12	52.69	685	4.69	61	1.00	13	0.00	0	0.00	0		0.40704	0.03539	0.00739	0.00000	0.00000
2	13	40.00	80	8.50	17	2.00	4	0.00	0	0.00	0	1	0.39212	0.08390	0.01983	0.00000	0.00000
10	14	64.80	648	4.90	49	0.70	7	2.00	20	0.00	0	1	0.26745	0.01503	0.00225	0.00514	0.00000
34	15	46.00	1564	7.56	257	1.53	52	1.00	34	0.06	2	1	0.28357	0.04062	0.00863	0.00508	0.00027
23	16	52.09	1198	22.52	518	3.17	73	2.48	57	0.00	0	1	0.18982	0.05720	0.00819	0.00621	0.00000
24	17	39.13	939	9.33	224	1.50	36	4.04	97	0.54	13	1	0.27422	0.05742	0.00923	0.02765	0.00408
12	20	27.58	331	5.42	65	1.33	16	0.08	1	0.00	0	1	0.16435	0.03299	0.00790	0.00049	0.00000
TOTAL UNI MEASURED=		0+	TOTAL STEELHEAD 7426	14	TOTAL STEELHEAD 1571	24	TOTAL STEELHEAD 268	04	TOTAL CHINOOK 216		TOTAL 0+ COHO 15						

Fish numbers and densities per habitat type (area in square meters).

#### 230 - Step III - PROJECT DESIGN AND EVALUATION

## 231 - Step III Process.

- 231.1 Objectives. The objective of Step III is to provide site specific information for the design and evaluation of habitat restoration/enhancement project work, and evaluation of adjacent/off-site watershed management activities.
- 231.2 Standards. Standards of Step III relate to statistical reliability. Data collected for Step III shall be statistically reliable to the degree that errors are no greater than 5 percent.
- <u>231.3</u> <u>Equipment</u>. Equipment needed to perform Step III varies from case to case depending on the type of project, but generally will include all equipment listed for Step II.
- <u>231.4</u> <u>Procedure</u>. The fish biologist/hydrologist shall use standard methodology and state-of-the-art techniques for project specific reconnaissance mapping, hydrological surveys and project level habitat typing.
- 231.5 Management Uses. These include project specific monitoring, and evaluation of timber, range, and watershed management programs, such as:
- 1. The monitoring program for the South Fork of the Trinity River, being conducted by the Six Rivers and Shasta-Trinity National Forests.
  - 2. Instream flow studies.
  - 3. Allotment management and timber sale harvests.
- 4. Surveys needed to assess impacts of reservoirs proposed on stream courses.
  - 5. Evaluations needed for fish habitat improvement and enhancement projects to determine feasibility and success.
  - Integrated resource management.
- 231.6 Outputs. Outputs will be similar to Step II and reflect the type of study, and may vary according to the intensity and need. The project report should include a description of the study area, a description of the problem, the objectives of the study, a description of the methods used, a discussion of the study results, and critique of the methods. Send copies of the report to the California Department of Fish and Game and other cooperators, as appropriate.

## 240 - STEP IV- FISH HABITAT RELATIONSHIP (FHR) PROGRAM.

#### 241 - Step IV Process.

- <u>241.1</u> <u>Objectives</u>. The objective of Step IV is the collection of fish species information and life history data. This data when related to habitat quality and quantity (Step II), is one component of watershed limiting factor analysis, and quantification of the biological response to habitat changes.
- 241.2 Standards. Standards of Step IV relate to statistical reliability. Data collected for Step IV shall be statistically reliable to the degree that errors are no greater than 5 percent.
- <u>241.3</u> <u>Equipment</u>. Equipment needed to perform Step IV depends on the objectives of the study or research.
- <u>241.4</u> <u>Procedure</u>. The fish biologist/fish scientist shall use state-of-the-art hydrological and biological sampling procedures in the design and implementation of fish habitat relationship research and studies. For information and support contact the Inland and/or Anadromous Fish Habitat coordinators.

## 241.5 - Management Uses.

- 1. Limiting factor analysis.
- 2. Evaluation of habitat restoration/enhancement techniques.
- 3. Project cost-effectiveness analysis.
- 4. Cumulative effects of watershed activities.
- <u>241.6</u> <u>Outputs</u>. The development of networks between the forests and other agencies for the exchange of FHR information. This can be accomplished through DG networks, FHR Currents (R-5's Fish Habitat Relationship Technical Bulletin), and research publications. There are many examples of FHR studies throughout Region 5. Contact the coordinators for more information.

•